

# Cell Phone Test!

Please follow these instructions carefully.

## Step 1: Baseline Test.

Have the test subject standing in an open area with their feet about 1 foot apart. Then, have them stand up straight and extend one arm out to the side parallel with the floor.

**Note: Always ask if they have any arm or shoulder injury or if it's sore before performing this test. If one is sore use the other arm.**

The Tester should stand to the side of the person being tested (never in front) and place your hand, palm down, on the wrist of the outstretched arm with fingers pointing towards the neck of the person being tested. Give the command "HOLD" and press down on the arm slowly but firmly. **Do not push down hard or suddenly.**

The purpose of this "baseline test" is to check for a locking of the shoulder muscle. The arm should be strong. You won't need more than a couple of pounds of pressure to notice the locking of the shoulder muscle.

**Step 2: Using Cell Phone** (Cell phone should be turned on and open if it's a flip type phone)

Duplicate Step 1 above, except this time, have the person being tested hold the cell phone to their ear with their other hand, as if they were taking a call. The other arm should be straight out, to the side as before, shoulder high and firm. Give the command, "HOLD", and press down on the arm firmly as before.

You will notice that the shoulder muscle **does not** lock and the arm is weaker. The electromagnetic frequency (EMF) of the cell phone causes this interruption of strength.

## Step Three: Using *Nutrazon's New Functional Beverage*

Have the *Nutrazon Beverage* ready for this part of the test. You put a small amount in a cup to drink from. Duplicate Test 1 above, only this time have your guest drink a small amount of *Nutrazon* first. Duplicate Step 2 above, standing straight, holding cell phone, arm out to side. With your palm face down on the wrist of the outstretched arm, again, say the command "HOLD" and press down with the same even pressure, as in Step 2.

The shoulder muscle of the person being tested should test strong and lock, as in Step 1.

Did you see and feel the difference? This test can be performed using any bottle of the New Nutrazon.

**NOTE:** After drinking just one ounce of Nutrazon you will no longer be able to do a baseline test on that person as Nutrazon has enhanced the ten factors (balance, coordination, strength, flexibility, endurance, mental clarity, focus, calmness, recall and reduction of stress) for several hours.

# Take the Balance Test!

Please follow these instructions carefully.

There are actually two separate tests involved. The first one is done before drinking any Nutrazon. This is called a **Baseline Test**. The second test will be done "using Nutrazon", specifically the New Technology in our Functional Beverage. Remember, any of the New Nutrazon can be used to successfully complete these tests.

## **Test 1: Baseline Test** (before using any of the New Nutrazon)

Step 1: Have the test subject standing in an open area, feet about one foot apart.

Step 2: Have them stand and balance on one leg with arms straight out to the side and parallel to the floor. Be sure that their legs are not touching each other.

Step 3: The person performing the test will stand to one side of the person being tested, (never in front) and place your hand, palm down, on the wrist of the one outstretched arm with fingers pointing towards the neck of the person being tested.

Step 4: Give the command "HOLD" and press down on the arm slowly but firmly until the person "falls off balance". Do not push down hard or suddenly. The test is to measure how much pressure it takes to bring the person off balance. It is helpful to instruct them to "push up on their arm as much as you push down". The goal is for their arm to remain parallel to the ground and not have them moving their arms to try to regain their balance. Let them know that this is not a contest, but rather you simply want them to feel how much force is required to move them from their center of gravity.

It is a good idea to do this a couple of times before going to the test with the New Nutrazon. After the first time you say, "Now that you know what I am doing, let's try it again".

## **Test 2: Using *The Nutrazon's New Functional Beverage***

Have the *Beverage* ready for this part of the test. You put a small amount in a cup to drink from. Duplicate Test 1 above, only this time have them drink a small amount of *the Nutrazon Beverage* first. With your hand, palm down, on the wrist of one outstretched arm, give the command "HOLD" and press down with the same even pressure, as in Test 1.

The person being tested should remain balanced for a longer period of time.

Did you see and feel the difference? This test can be performed using any bottle of the New Nutrazon.

**NOTE:** After drinking just one ounce of Nutrazon you will no longer be able to do a baseline test on that person as Nutrazon has enhanced the ten factors (balance, coordination, strength, flexibility, endurance, mental clarity, focus, calmness, recall and reduction of stress) for several hours.